Author Index

Akama, Y. and Tong, A.
High-performance liquid chromatographic determination of aluminium and iron(III) in solar salt in the form of their 1-phenyl-3-methyl-4-benzoyl-5-pyrazolone chelates 633(1993)129

Altria, K. D. and Dave, Y. K.
Peak homogeneity determination and micro-preparative fraction collection by capillary electrophoresis for pharmaceutical analysis 633(1993)221

Armstrong, D. W., see Reid, III, G. L. 633(1993)135

Armstrong, D. W., see Reid, III, G. L. 633(1993)143

Aue, W. A. and Sun, X.-Y.
Spectrum, multi-element selectivity and elemental response of a linear sulfur emitter in flame photometry 633(1993)151

Baaliouamer, A., see Chanegriha, N. 633(1993)163

Baiocchi, C., see Da Col, R. 633(1993)119

Ballesteros, E., Gallego, M. and Valcárcel, M.
Automatic determination of N-methylcarbamate pesticides by using a liquid–liquid extractor derivatization module coupled on-line to a gas chromatograph equipped with a flame ionization detector 633(1993)169

Bertrand, O., see Kroviarski, Y. 633(1993)273

Bissell, M. G., see Koh, E. V. 633(1993)245

Bourguignon, B., see Hamoir, T. 633(1993)43

Brownrigg, C. M., see Brumley, W. C. 633(1993)177

Brumley, W. C., Brownrigg, C. M. and Grange, A. H.
Determination of toxaphene in soil by electron-capture negative ion mass spectrometry after fractionation by high-performance gel permeation chromatography 633(1993)177

Bullock, J.
Capillary zone electrophoresis and packed capillary column liquid chromatographic analysis of recombinant human interleukin-4 633(1993)235

Burt, H. M., see Gentleman, M. S. 633(1993)105

Cartron, J. P., see Kroviarski, Y. 633(1993)273

Chanegriha, N. and Baaliouamer, A.
Evaluation of series-coupled gas chromatographic capillaries of different polarities. Application to the resolution of problem pairs of constituents in Algerian cypress essential oil 633(1993)163

Chen, N., Zhang, Y. and Lu, P.
Effects of molecular structure on the log k'_w index and linear S–log k'_w correlation in reversed-phase high-performance liquid chromatography 633(1993)31

Cochet, S., see Kroviarski, Y. 633(1993)273

Da Col, R., Silvestro, L., Baiocchi, C., Giacosa, D. and Viano, I.
High-performance liquid chromatographic–mass spectrometric analysis of *cis*-dichlorodiamineplatinum–DNA complexes using an ionspray interface 633(1993)119

Dave, Y. K., see Altria, K. D. 633(1993)221

DeLuca, S. J., see Murugaverl, B. 633(1993)195

Djordjevic, N., see Liu, G. 633(1993)25

Dutton, W. R., see Hull, Jr., C. J. 633(1993)300

Duval, M., see Leblanc, Y. 633(1993)185

Erni, F., see Liu, G. 633(1993)25

Fujimura, N., see Nishi, H. 633(1993)89

Fukuyama, T., see Nishi, H. 633(1993)89

Gallardo-Guerrero, L., see Mínguez-Mosquera, M. I. 633(1993)295

Gallego, M., see Ballesteros, E. 633(1993)169

Gami-Yilinkou, R., Nasal, A. and Kaliszan, R.
Application of chemometrically processed chromatographic data for pharmacologically relevant classification of antihistamine drugs 633(1993)57

Gandul-Rojas, B., see Mínguez-Mosquera, M. I. 633(1993)295

Gasparrini, F., Misiti, D., Villani, C., Pierini, M. and La Torre, F.
Direct high-performance liquid chromatographic resolution of 2-aryl- and 2-heteroarylpropionic acids on a chiral stationary phase containing the N,N′-dinitrobenzoyl derivative of (1*R*,2*R*)-diaminocyclohexane 633(1993)81

Gentleman, M. S., Burt, H. M., Kitts, D. D. and McErlane, K. M.
High-performance liquid chromatographic determination of sulphadiazine and trimethoprim in Chinook salmon muscle tissue 633(1993)105

Giacosa, D., see Da Col, R. 633(1993)119

Giese, R. W., see Li, W. 633(1993)315

Gilbert, R., see Leblanc, Y. 633(1993)185

Grange, A. H., see Brumley, W. C. 633(1993)177

Grüner, B., see Plešek, J. 633(1993)73

Hamoir, T., Bourguignon, B., Massart, D. L. and Hindriks, H.
Model building for the prediction of initial chromatographic conditions in pharmaceutical analysis using reversed-phase liquid chromatography 633(1993)43

Hindriks, H., see Hamoir, T. 633(1993)43

Hirokawa, T., Ueda, M., Ijyuin, A., Yoshida, S., Nishiyama, F. and Kiso, Y.
Study of isotachophoretic separation behaviour of metal cations by means of particle-induced X-ray emission. IV. Separation of metal ions in a non-radioactive model solution of a high-level liquid waste 633(1993)261

Hirokawa, T., Watanabe, K., Yokota, Y. and Kiso, Y.
Bidirectional isotachophoresis. I. Verification of bidirectional isotachophoresis and simultaneous determination of anionic and cationic components 633(1993)251

Hubert, J., see Leblanc, Y. 633(1993)185

Hull, Jr., C. J., Dutton, W. R. and Switzer, B. S.
Quantitation of azadirachtins in insecticidal formulations by high-performance liquid chromatography 633(1993)300

Ijyuin, A., see Hirokawa, T. 633(1993)261
Irth, H., Oosterkamp, A. J., Van der Welle, W., Tjaden, U. R. and Van der Greef, J.
On-line immunochemical detection in liquid chromatography using fluorescein-labelled antibodies 633(1993)65
Ito, R. K., see Koh, E. V. 633(1993)245
Jorgenson, J. W., see Lemmo, A. V. 633(1993)213
Kaliszan, R., see Gami-Yilinkou, R. 633(1993)57
Kanemoto, A., see Kataoka, H. 633(1993)311
Kataoka, H., Ohrui, S., Kanemoto, A. and Makita, M.
Determination of ammonia as its benzenesulphonyldimethylaminomethylene derivative in environmental water samples by gas chromatography with flame photometric detection 633(1993)311
Katunuma, N., see Ohshita, T. 633(1993)281
Kirchmann, E. and Welch, L. E.
High-performance liquid chromatographic separation and electrochemical detection of penicillins 633(1993)111
Kiso, Y., see Hirokawa, T. 633(1993)251
Kiso, Y., see Hirokawa, T. 633(1993)261
Kitts, D. D., see Gentleman, M. S. 633(1993)105
Koh, E. V., Bissell, M. G. and Ito, R. K.
Measurement of vitamin C by capillary electrophoresis in biological fluids and fruit beverages using a stereoisomer as an internal standard 633(1993)245
Kroviarski, Y., Cochet, S., Martineau, P., Cartron, J. P. and Bertrand, O.
Evaluation of several affinity chromatographic supports for the purification of maltose-binding protein from *Escherichia coli* 633(1993)273
La Torre, F., see Gasparrini, F. 633(1993)81
Laurent, T. C.
History of a theory 633(1993)1
Lebert, A., see Lesellier, E. 633(1993)9
Leblanc, Y., Gilbert, R., Duval, M. and Hubert, J.
Static headspace gas chromatographic determination of fault gases dissolved in transformer insulating oils 633(1993)185
Lemmo, A. V. and Jorgenson, J. W.
Two-dimensional protein separation by microcolumn size-exclusion chromatography–capillary zone electrophoresis 633(1993)213
Lesellier, E., Tchapla, A., Marty, C. and Lebert, A.
Analysis of carotenoids by high-performance liquid chromatography and supercritical fluid chromatography (Review) 633(1993)9
Li, W., Moussa, A. and Giese, R. W.
Capillary electrophoresis with laser fluorescence detection for profiling damage to fluorescein-labeled deoxyadenylic acid by background, ionizing radiation and hydrogen peroxide 633(1993)315
Liu, G., Svenson, L., Djordjevic, N. and Erni, F.
Extra-column band broadening in high-temperature open-tubular liquid chromatography 633(1993)25
Lobell, M. and Schneider, M. P.
2,3,4,6-Tetra-O-benzoyl-β-D-glucopyranosyl isothiocyanate: an efficient reagent for the determination of enantiomeric purities of amino acids, β-adrenergic blockers and alkyloxiranes by high-performance liquid chromatography using standard reversed-phase columns 633(1993)287
Lu, P., see Chen, N. 633(1993)31
Makita, M., see Kataoka, H. 633(1993)311
Martineau, P., see Kroviarski, Y. 633(1993)273
Marty, C., see Lesellier, E. 633(1993)9
Massart, D. L., see Hamoir, T. 633(1993)43
McErlane, K. M., see Gentleman, M. S. 633(1993)105
Mínguez-Mosquera, M. I., Gallardo-Guerrero, L. and Gandul-Rojas, B.
Characterization and separation of oxidized derivatives of pheophorbide *a* and *b* by thin-layer and high-performance liquid chromatography 633(1993)295
Misiti, D., see Gasparrini, F. 633(1993)81
Monge, C. A., see Reid, III, G. L. 633(1993)135
Moussa, A., see Li, W. 633(1993)315
Murugaverl, B., Voorhees, K. J. and DeLuca, S. J.
Utilization of a benchtop mass spectrometer with capillary supercritical fluid chromatography 633(1993)195
Nann, A. and Simon, W.
On-column detection in capillary zone electrophoresis with ion-selective microelectrodes in conical capillary apertures 633(1993)207
Nasal, A., see Gami-Yilinkou, R. 633(1993)57
Nishi, H., Fujimura, N., Yamaguchi, H. and Fukuyama, T.
Direct high-performance liquid chromatographic separation of the enantiomers of diltiazem hydrochloride and its 8-chloro derivative on a chiral ovomucoid column 633(1993)89
Nishiyama, F., see Hirokawa, T. 633(1993)261
Ohrui, S., see Kataoka, H. 633(1993)311
Ohshita, T. and Katunuma, N.
Analysis of lysosomal degradation of fluorescein isothiocyanate-labelled proteins by Toyopearl HW-40 affinity chromatography 633(1993)281
Oosterkamp, A. J., see Irth, H. 633(1993)65
Perry, R. L., see Tindall, G. W. 633(1993)227
Pierini, M., see Gasparrini, F. 633(1993)81
Plešek, J., Grüner, B., Vaněk, T. and Votavová, H.
Chiral resolution of enantiomers of asymmetric cobaltacarboranes with a monoatomic bridge between ligands by liquid chromatography on a β-cyclodextrin column 633(1993)73
Pobozy, E., Sweryda-Krawiec, B. and Trojanowicz, M.
Ion interaction chromatography with nonylamine reagent for the determination of nitrite and nitrate in natural waters 633(1993)305
Reid, III, G. L., Monge, C. A., Wall, W. T. and Armstrong, D. W.
Cyclodextrin stationary phases for the gas–solid chromatographic separation of light hydrocarbons. Evidence for multiple retention mechanisms 633(1993)135

Reid, III, G. L., Wall, W. T. and Armstrong, D. W.
Cyclodextrin stationary phases for the gas–solid chromatographic separation of inorganic gases 633(1993)143
Schneider, M. P., see Lobell, M. 633(1993)287
Shimada, K.
Modern chromatographic analysis of vitamins (edited by A. P. de Leenheer, W. E. Lambert and N. J. Nelis (Book Review) 633(1993)320
Silvestro, L., see DaCol, R. 633(1993)119
Simon, W., see Nann, A. 633(1993)207
Sun, X.-Y., see Aue, W. A. 633(1993)151
Svenson, L., see Liu, G. 633(1993)25
Sweryda-Krawiec, B., see Pobozy, E. 633(1993)305
Switzer, B. S., see Hull, Jr., C. J. 633(1993)300
Tchapla, A., see Lesellier, E. 633(1993)9
Tindall, G. W. and Perry, R. L.
Determination of ester substituents in cellulose esters 633(1993)227
Tjaden, U. R., see Irth, H. 633(1993)65
Tong, A., see Akama, Y. 633(1993)129
Trojanowicz, M., see Pobozy, E. 633(1993)305
Ueda, M., see Hirokawa, T. 633(1993)261
Valcárcel, M., see Ballesteros, E. 633(1993)169
Van der Greef, J., see Irth, H. 633(1993)65
Van der Welle, W., see Irth, H. 633(1993)65
Vaněk, T., see Plešek, J. 633(1993)73
Viano, I., see Da Col, R. 633(1993)119
Villani, C., see Gasparrini, F. 633(1993)81
Voorhees, K. J., see Murugaverl, B. 633(1993)195
Votavová, H., see Plešek, J. 633(1993)73
Walker, T. A.
Separation of Beraprost sodium isomers using different cyclodextrin stationary phases 633(1993)97
Wall, W. T., see Reid, III, G. L. 633(1993)135
Wall, W. T., see Reid, III, G. L. 633(1993)143
Watanabe, K., see Hirokawa, T. 633(1993)251
Welch, L. E., see Kirchmann, E. 633(1993)111
Yamaguchi, H., see Nishi, H. 633(1993)89
Yokota, Y., see Hirokawa, T. 633(1993)251
Yoshida, S., see Hirokawa, T. 633(1993)261
Zhang, Y., see Chen, N. 633(1993)31

Erratum

J. Chromatogr., 629 (1993) 97–122

Page 103, 9th line and eqn. I.6: "$v\Delta_{c_i}$" should read "$v_{\Delta c_i}$".